




INSTALLATION INSTRUCTIONS

Part 16-7514

Long Travel Shock
with External Reservoir

Parts Diagram



ITEM	QTY
Jake's Long Travel Shock With External Reservoir	2
Spacers	4



*Always wear appropriate
eye protection!*

Direct Replacement of Shocks in Jake's® Long Travel Lift Kits

FIGURE 1





FIGURE 2



Upper Mounting Location

FIGURE 3




Lower Mounting Location


- 1** Make a note of spacer locations and orientation for both the upper and lower shock mounting positions. Remove existing shocks to be replaced and discard the old spacers.
- 2** When mounting the shock in the upper mounting location, keep in mind that the tapered spacer should be oriented with the smaller end against the shock and the larger end against the frame as shown in **FIGURE 4**.
- 3** The spacers included in the box are to replace the spacers on your lower control arms due to the increased thickness in the new and improved Jake's shocks. Depending on your application, the spacers will be installed either in the front and rear of the shocks as shown in **FIGURE 5** or stacked behind the shock toward the rear of the vehicle as shown in **FIGURE 6**. When the bolt for the lower shock mount is tightened, there should be no play between the shock and the control arm mount.
- 4 ADJUSTMENT:** The top valve allows for compression adjustment. The lower valve allows for shock rebound adjustment.

Replace Current Spacers

NOTE: Please refer to the table & diagrams below to determine which spacer configuration is needed for your fitment.



CONFIGURATION 1



CONFIGURATION 2

CONFIGURATION 1	CONFIGURATION 2
16-775 Yamaha® Drive2 with IRS 2017-Up	16-771 E-Z-GO® TXT 2001.5-2009 Gas Robins Engine
16-776 Yamaha® Drive2 2017-Up	16-772 E-Z-GO® TXT 2001.5-2013.5 Electric
16-785 Yamaha® G8-G14, G16, G19, G20	16-773 E-Z-GO® TXT 2009-Up Gas Kawasaki Engine
16-786 Yamaha® G29	16-774 E-Z-GO® TXT T48 2013.5-Up Electric
16-784 E-Z-GO® RXV 2013.5-2021.5 Electric	16-777 E-Z-GO® TXT 1994-2001.5 Gas
	16-778 E-Z-GO® TXT 1994-2001.5 Electric
	16-780 Club Car® DS 2004-Up Gas & Electric
	16-783 Club Car® Precedent 2004-Up Gas & Electric
	16-787 Club Car® DS 1981-2003



INDEMNIFICATION & INSURANCE AGREEMENT

High Performance Enhancement Kit purchaser assumes sole and entire responsibility for, and shall indemnify and save harmless Nivel LLC, from any and all claim, liability, responsibility, and persons or property that may be sustained in connection with the use of any product before or after purchase, including but not limited to high performance enhancement lift kits. The High Performance Enhancement Kit purchaser also shall indemnify Nivel LLC harmless with respect to any and all liability that may be Incurred.

Golf Cars are recommended for use only by those aged 16 and older. Golf Cars can be especially hazardous to operate. Always remember that riding and alcohol/drugs don't mix. Never ride on public roads. Never carry more than two passengers (except shuttles and trams). Never engage in stunt driving. Avoid excessive speeds and be particularly careful on difficult terrain. Nivel LLC reserves the right, at any time, to discontinue or change specifications, prices, designs, features, models, or equipment without notice and without incurring any obligation.